

Prepared for:

KindRX

6551 S REVERE PKWY STE 225
CENTENNIAL, CO USA 80111


Ear & Nose Balm

Batch ID or Lot Number: 112024B	Test: Potency	Reported: 25Nov2024	USDA License: N/A
Matrix: Concentrate	Test ID: T000293652	Started: 20Nov2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Nov2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.019	0.058	0.210	2.10	
Cannabichromenic Acid (CBCA)	0.017	0.053	ND	ND	
Cannabidiol (CBD)	0.047	0.160	7.290	72.90	
Cannabidiolic Acid (CBDA)	0.048	0.164	ND	ND	
Cannabidivarin (CBDV)	0.011	0.038	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.020	0.068	ND	ND	
Cannabigerol (CBG)	0.011	0.033	0.160	1.60	
Cannabigerolic Acid (CBGA)	0.045	0.138	ND	ND	
Cannabinol (CBN)	0.014	0.043	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.030	0.094	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.053	0.164	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.048	0.149	0.230	2.30	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.043	0.132	ND	ND	
Tetrahydrocannabivarin (THCV)	0.010	0.030	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.038	0.117	ND	ND	
Total Cannabinoids			7.890	78.90	
Total Potential THC			0.230	2.30	
Total Potential CBD			7.290	72.90	

Final Approval



Sam Smith
24Nov2024
11:18:00 AM MST

PREPARED BY / DATE



Karen Winternheimer
24Nov2024
11:20:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/972c890c-af9d-4a3f-be65-dde80a13d9b5>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

972c890caf9d4a3fbe65dde80a13d9b5.1